

Name \_\_\_\_\_ Age \_\_\_\_\_

Occupation \_\_\_\_\_ Date \_\_\_\_\_

**VISION STATUS**

I currently wear:

- Glasses
- Soft Contacts
- Hard Contacts
- None

I am interested in:

- Glasses
- Contacts
- LASIK
- I Don't Know

**CONTACT LENS USERS ONLY**

Current Brand and Powers: \_\_\_\_\_  
\_\_\_\_\_

**DILATION**

Dilation provides your doctor a wide view of the inside of your eye. This procedure requires an additional 30-40 minutes.

Mild stinging may occur upon instillation of eye drops. These side effects may last for 6-8 hours:

- Blurry vision
- Headache
- Sensitivity to light
- Increased pupil size
- Drowsiness or hyperactivity

Dilation is not recommended if:

- You need to work, read or use a computer
- You have never been dilated before and do not have a driver
- You are unable to avoid environments with bright lights after the exam

The recommended schedule for dilation is dependent on a variety of factors. Your doctor will discuss with you if dilation is medically necessary.

Wide field retinal photography is strongly recommended to screen for conditions like glaucoma, macular degeneration and retinal tears. Retinal photography may reduce or eliminate your need for dilation.

- I am able to be dilated today
- I decline dilation today
- I would like retinal photography for \$39

**PERSONAL MEDICAL HISTORY**

- Diabetes
- High Blood Pressure
- High Cholesterol
- Pregnant / Nursing

Other Conditions: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Primary care physician & facility: \_\_\_\_\_  
\_\_\_\_\_

**MEDICATIONS TAKEN**

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**ALLERGIES (INCLUDE MEDICATIONS)**

\_\_\_\_\_  
\_\_\_\_\_

**PERSONAL EYE HISTORY**

- Allergies in eyes
- Cataracts
- Dry Eyes
- Eye Turn
- Eye Surgery
- Glaucoma
- Keratoconus
- Macular Degeneration
- Retinal Problem
- Vision Therapy

Other Conditions: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**FAMILY EYE HISTORY**

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**HOW DID YOU HEAR ABOUT US?**

\_\_\_\_\_